



RGHK2

THE SCAFFOLDER'S KIT

The Scaffolder's Kit comes complete with a two point harness and single leg fall arrest lanyard meaning work can take place at an open edge or ungated ladder hatch.

The lanyard comes with a scaffold hook attached which is designed for simple connection to scaffolding and other steel structures.

Accredited to: EN 361:2002, EN 355:2002, EN 362:2004

- Kit contains:
- Front & rear D harness (RGH2)
 - Single leg webbing lanyard and shock absorber (RGL1)
 - 17mm steel screwgate karabiner (RGK1)
 - 60mm aluminium double-action scaffold hook with captive eye (RGK11)

See overleaf for specific item specifications



RGHK2

ITEM SPECIFICATIONS

Product: Front & rear D harness (RGH2)

Accredited to: EN 361:2002

Web material: 45mm RIDGE Protect anti-bacterial polyester*

Fittings: High tensile steel alloy

Weight: 1.1kg

/ Front & rear attachment point

Product: Single leg webbing lanyard and shock absorber (RGL1)

Accredited to: EN 355:2002

Web material: 26mm RIDGE Protect anti-bacterial polyester*

Fittings: 17mm steel screwgate karabiner (RGK1)

60mm aluminium double-action scaffold hook with captive eye (RGK11)

Max arrest force: <6kN

Length(s): 1.3m

1.8m

Product: 17mm steel screwgate karabiner (RGK1)

Accredited to: EN 362:2004

Material: Steel

Plating: Zinc

Gate opening: 17mm

External length: 107mm

Closure type: Screwgate

MBS: 23kN

Weight: 160g

Product: 60mm aluminium double-action scaffold hook with captive eye (RGK11)

Accredited to: EN 362:2004

Material: Aluminium

Plating: Anodised

Gate opening: 60mm

Eye diameter: 30mm

External length: 248mm

Closure type: Double action

MBS: 23kN

Weight: 480g

* 14 times reduction in bacterial growth, according to ISO 20743:2013 contact with *K.pneumoniae*, commonly associated with healthcare infections such as *E.coli*